

Safety Data Sheet

Revision Date: 1 March 2025

Product Name: DetectX® TBARS/MDA Universal Colorimetric Detection Kit

Section 1: Identification

Product Name: DetectX[®] TBARS/MDA Universal Colorimetric Detection Kit

Also known as: Catalog Number K077-H1

Manufacturer Arbor Assays

/ Supplier 1143 Highland Dr, Ste A

Ann Arbor, MI 48108-5001 Telephone 734-677-1774 (U.S.)

U.S.A.

Recommended Use For Research Use Only

Section 2: Hazard(s) Identification

Classification: Regulation (EC) No. 1272/2008 [CLP/GHS]

Hydrochloric acid: Skin Irritant, Class 2

Eye Irritant, Class 2

n-Propanol: Flammable, Category 2

Serious Eye Damage, Category 1 Specific Organ Toxicity, Category

3, Central nervous system

Sodium hydroxide: Serious eye damage, Category 1

Corrosive to metals, Category 1 Skin corrosion, Category 1B

1,1,3,3- Flammable liquids, Category 4

Tetraethoxypropane: Acute toxicity, Oral, Category 4

Combustible liquid and highly flammable liquid/vapor.

Hazard statements: Combustible liquid and highly flammable liquid/vapor.

May be harmful/toxic if inhaled, absorbed through skin, swallowed.

Causes serious eye damage.

May be irritating to respiratory system and skin.

Harmful to aquatic organisms.

May cause long-term adverse effects in aquatic environment.

Precautionary statements: Keep away from heat, open flames, hot surfaces, sparks.

Do not breathe dust/fume/gas/mist/vapors/spray.

Keep containers tightly closed.

Wash hands thoroughly after handling.

Wear protective gloves, clothing, and eye/face protection.

Section 3: Information on Ingredients

Components: MDA Standard (C279-25UL)

Sample Diluent (X145-100ML) TBA Substrate (C280-11ML)

Description:Chemical NameCAS No.PercentMDA Standard, C279-25UL:N-Propanol71-23-8≤ 100.0%

1,1,3,3-Tetraethoxypropane 122-31-6 < 1.0%

Sample Diluent, X145-100ML: Hydrochloric acid 7647-01-0 < 5.0% TBA Substrate, C280-11ML: Sodium hydroxide 1310-73-2 < 1.0%

Additional components of the kit are non-hazardous or the specific chemical identity and/or exact percentage (concentration) of composition have been withheld as a trade secret.

Section 4: First Aid Measures

	MDA Standard C279-25UL (Propanol, ≤ 100.0%; PET < 1.0%)	Sample Diluent X145-100ML (HCl, < 5.0%)	TBA Substrate C280-11ML (NaOH, < 1.0%)
Inhalation	If inhaled, remove to fresh air.	If inhaled, remove to fresh air.	If inhaled, remove to fresh air.
Skin Contact	Wash thoroughly with soap and water.	Wash thoroughly with soap and water.	Wash thoroughly with plenty of water.
Eye Contact	Get medical attention. Rinse eyes with water extensively	Get medical attention. Rinse eyes with water extensively.	Get medical attention immediately. Rinse eyes with water extensively.
Ingestion	If swallowed, wash out mouth with water if person is conscious.	Get medical attention. If person is conscious, give large amounts of water.	Get medical attention. If person is conscious, give a cupful of water.

Section 5: Fire Fighting Measures

MDA Standard	Sample Diluent	TBA Substrate
C279-25UL	X145-100ML	C280-11ML
(Propanol, ≤ 100.0%; PET <	(HCI, < 5.0%)	(NaOH, < 1.0%)
1.0%)		

Extinguishing Suitable: Water spray, alcohol-resistant foam,

Dry chemical powder.

Media carbon dioxide, or dry chemical.

Firefighting Protective Equipment: Wear self-contained breathing apparatus if

necessary.

Specific Hazard(s): HCI - Emits toxic fumes under fire conditions.

Section 6: Accidental Release Measures

Cleanup Procedures Wear appropriate protective clothing. Avoid breathing vapors, mist or

gas. Avoid source of ignition. Contain spill to prevent migration. Wipe up spill, place in suitable, closed container for appropriate disposal. For Borohydride Stock, material may be absorbed with dry sodium

carbonate or other inert material. For all components, wash area of spill

with soap and water.

Waste Disposal Dispose of in accordance with federal, state, and local regulations.

Section 7: Handling and Storage

Handling Avoid getting components of this kit on you or in you. Always wear appropriate

protective clothing. Always wash hands and other exposed areas thoroughly after using this kit. Do not eat or drink while using this kit. Qualified and experienced

professionals should only handle this kit.

Storage Store according to the package insert instructions.

Section 8: Exposure Controls / Personal Protection

Engineering Controls No special engineering controls are required when working with this

kit. Use with adequate ventilation.

Protective Equipment Safety glasses are recommended to prevent eye contact. Chemical

resistant gloves, lab coat should be worn to prevent skin contact.

Section 9: Physical and Chemical Properties

	MDA Standard C279-25UL (Propanol, ≤ 100.0%; PET < 1.0%)	Sample Diluent X145-100ML (HCl, < 5.0%)	TBA Substrate C280-11ML (NaOH, < 1.0%)
Appearance	Clear, colorless liquid	Clear, colorless liquid	Clear, off-white liquid
Odor	Alcohol-like	Pungent	None
Boiling Point	Propanol: 97°C PET: 220°C	100°C	100°C
Melting Point	Propanol: -127°C PET: -90°C	0°C	0°C
Flash Point	Propanol: 22°C–closed cup PET: 88°C-closed cup		
Ignition temp	Propanol: 400°C		
Density	Propanol: 0.804 g/cm3 PET: 0.919 g.cm3	Essentially the same as water	1.0 g/cm3
Vapor Pressure	19.3 hPa at 20°C (68°F)	Essentially the same as water	14 mm Hg
Water Solubility	Propanol: Complete PET: no data available	Complete	Complete
рН	8.5	Acidic (0.1)	Alkaline

Section 10: Stability and Reactivity

Stability This material is stable until the expiration date on the kit if stored as

directed.

Conditions to Avoid Extreme temperatures, flames, sparks

Incompatibles Strong oxidizing agents, phosphorus halides, strong acids, metals (such

as aluminum).

Section 11: Toxicological Information

Route of Exposure

Skin Contact May cause skin irritation.

Skin Absorption May be harmful if absorbed through the skin.

Eye Contact May cause eye irritation.

Inhalation May be harmful if inhaled. May be irritating to respiratory tract.

Ingestion May be harmful if swallowed. May be irritating to digestive tract.

Symptoms of Exposure To the best of our knowledge, the chemical, physical, and

toxicological properties have not been thoroughly investigated.

Section 12: Ecological Information

Harmful to aquatic organisms. May cause long-term adverse effects in aquatic environment.

Section 13: Disposal Considerations

Dispose of waste materials, unused components and contaminated packaging in compliance with country, state, district and local regulations. If unsure of the applicable requirements, contact the authorities for information.

Section 14: Transport Information

U.S. and Canadian Transportation; DOT

Proper Shipping Name Chemical Kits

UN Identification Number 3316

Class and Description 9, Miscellaneous

Packing Group N/A Hazard Label Class 9

International Air Transportation (IATA)

Proper Shipping Name Chemical Kits

UN Identification Number 3316

Class and Description 9, Miscellaneous

Packing Group III
Hazard Label Class 9

Additional Transport Information:

Dangerous Goods in Excepted Quantities, Code E1.

Section 15: Regulatory Information

Product related information

The product is not subject to classification according to the sources of literature known to

Observe general safety regulations when handling chemicals.

Safety Statements

Avoid release to the environment.

Risk Statements

Harmful if swallowed. Harmful to aquatic organisms, may cause long-term adverse effects in aquatic environment.

U.S. Regulatory Information

SARA Listed: No materials contained in this product are at or above threshold levels subject to SARA 302 or SARA 313 reporting requirements.

Section 16: Other Information

Disclaimer: For Research Use Only. Not for diagnostic, therapeutic, or other uses.

Further The information contained in this document is accurate to the best of our Information: knowledge and is provided in good faith. This document is intended only as a guide to the appropriate precautionary handling of the materials contained in this kit by properly trained personnel using this kit. Final determination or suitability of any materials is the sole responsibility of the user. Arbor Assays shall not be held liable for any damage resulting from use or handling of this product.